



# PROFILATI 41/21



## SUPPLY

Double profiles (41 base system) are joined by riveting.

Profiles are available in 3 m or 6 m lengths. Profiles with a length of 2 m or cut to size are available upon request.

## INSTALLATION

If required, double profiles can be assembled directly on-site by joining two single profiles:

with slot type 2: use M8 x 16 bolts

with slot types 3 and 4: use the KL 1 coupling clamp

Attention: profiles must be fixed together every 250 mm, including at the ends.

All profiles with a 41 base are serrated on the inside and are compatible with products from our range: HZ hammer nuts, WBD support plates, TCS 1 clamps, Pressix 41, etc.

## TECHNICAL DATA

Material: steel version 1.0350 (ST 37.2), hot-dip galvanized using the Sendzimir process according to DIN EN 10327.



### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

## PROFILE 41/21/2,0




### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219


[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)



The self-weight of slots and channels has been taken into account.

$$\sigma_{\max} \leq 160 \text{ N / mm}^2$$

$$f \leq L / 200$$





**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

# PROFILE 41/21/2,00



## PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351


P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

The self-weight of slots and channels has been taken into account.

$$\sigma_{\max} \leq 160 \text{ N / mm}^2$$

$$f \leq L / 200$$



Codice	Nome	Peso	Numero di pezzi
173837C	PROFILATO 41/21/1,50 - 2 MT	1.15	100
178202C	PROFILATO 41/21/1,50 - 3 MT	1.04	150
193670C	PROFILATO 41/21/1,80 - 2 MT	1.28	150
193671C	PROFILATO 41/21/1,80 - 3 MT	1.28	150
193686C	PROFILATO 41/21/2,00 - 2 MT	1.3	100
193693C	41/21/2,0 3 m	1.28	150
193709C	41/21/2,0 6 m	1.28	300
193712C	PROFILATO 41/21/2,50 - 3 MT	1.85	150
193714C	PROFILATO 41/21/2,50 - 6 MT	1.85	300
193815C	PROFILATO 41/21/2,00 - 6 MT DOPPIO	3.94	120

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)