


CHANNEL MS 41 HCP - prosystemitalia.com

CHANNEL MS 41 HCP



APPLICATION

Element for easily and efficiently pre-assembling crossbars, wall brackets and supporting structures on construction sites or in workshops.

SCOPE OF DELIVERY

Available as single or double channels.

Double channels are joined together by clinching.

INSTALLATION

All channels of 41 hcp series are serrated inside and provide numerous combination options with other high corrosion protected system components.

TECHNICAL DATA

Material: Steel, HCP.

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

D = Double channel

TypeW/H/th [mm]	Section modulus[cm ³]	Moment of inertia[cm ⁴]	Radius of gyration[cm]
41/21/2.0	Wy : 0.82Wz : 2.12	ly : 0.92lz : 4.35	iy : 0.76iz : 1.65
41/41/2.5	Wy : 2.96Wz : 4.41	ly : 6.19lz : 9.05	iy : 1.43iz : 1.72
41/62/2.5	Wy : 5.54Wz : 6.27	ly : 17.70lz : 12.86	iy : 2.10iz : 1.79
41-75/75/3.0	Wy : 10.31Wz : 11.59	ly : 44.42lz : 43.48	iy : 2.53iz : 2.50
41/21/2.0 D	Wy : 2.35Wz : 4.24	ly : 4.93lz : 8.70	iy : 1.24iz : 1.65
41/41/2.5 D	Wy : 9.02Wz : 8.82	ly : 36.99lz : 18.10	iy : 2.46iz : 1.72
41-75/75/3.0 D	Wy : 30.72Wz : 23.07	ly : 230.40lz : 86.96	iy : 4.07iz : 2.50

TypeW/H/th [mm]	Cross sectionA[cm ²]	Distancee[cm]	Max. point carrying capacityFmax [kN]	Max. torsionalmomentMq [Nm]
41/21/2.0	1.61	1.12	4.0	44.5
41/41/2.5	3.05	2.09	6.0	44.5
41/62/2.5	4.01	3.20	6.0	44.5
41-75/75/3.0	6.95	4.31	10.0	44.5
41/21/2.0 D	3.21	2.10	4.0	44.5
41/41/2.5 D	6.09	4.10	6.0	44.5
41-75/75/3.0 D	13.90	7.50	10.0	44.5



PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Codice	Nome	Peso	Numero di pezzi
193861ZC	PROFILATO 41/21/2,00 - 6 MT HDG	1.32	300
161494ZC	PROFILATO 41/41/2,50 - 3 MT HDG	2.46	150

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com