


STABIL D-3G HCP



APPLICATION

For the installation of pipes required for all M&E services in industrial, residential and public buildings.

SCOPE OF DELIVERY

Sizes 15 to 129 mm are equipped with welded nuts for the clamping bolts. On the joint side, the clamping bolt is pre-assembled; the clamping bolt on the opposite side is mounted into the bore hole and retained by a plastic washer, thus preventing any accidental unscrewing.

For sizes 133 and larger the clamping bolts and the required nuts are supplied in loose form.

With welded in 3G triple thread nut; without sound absorption lining.

TECHNICAL DATA

Material: Steel, electro-galvanised.

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Ø[mm]	DN	Materialb x s[mm]	Thread	B[mm]
15 - 19	3/8"	25 x 2,0	M16/M10/M8	57
20 - 24	1/2"	25 x 2,0	M16/M10/M8	62
25 - 30	3/4"	25 x 2,0	M16/M10/M8	68
31 - 35	1"	30 x 2,5	M16/M10/M8	75
40 - 45	1" 1/4	30 x 2,5	M16/M10/M8	85
48 - 53	1" 1/2	30 x 2,5	M16/M10/M8	93
54 - 59		30 x 2,5	M16/M10/M8	104
60 - 65	2"	30 x 2,5	M16/M10/M8	110
67 - 72		30 x 2,5	M16/M10/M8	117
76 - 81	2" 1/2	30 x 3,0	M16/M10/M8	142
82 - 87		30 x 3,0	M16/M10/M8	148
88 - 93	3"	30 x 3,0	M16/M10/M8	154
102 - 108		30 x 3,0	M16/M10/M8	169
110 - 116	4"	30 x 3,0	M16/M10/M8	177
124 - 129		30 x 3,0	M16/M10/M8	190
133 - 140		40 x 4,0	1/2"/M16/M12	207
140 - 148	5"	40 x 4,0	1/2"/M16/M12	215
149 - 155		40 x 4,0	1/2"/M16/M12	222
159 - 165		40 x 4,0	1/2"/M16/M12	232
167 - 173	6"	40 x 4,0	1/2"/M16/M12	240
176 - 184		40 x 4,0	1/2"/M16/M12	263
188 - 194		40 x 4,0	1/2"/M16/M12	273
199 - 205		40 x 4,0	1/2"/M16/M12	284
207 - 216		40 x 4,0	1/2"/M16/M12	295
219 - 225	8"	40 x 4,0	1/2"/M16/M12	304
244 - 250		40 x 4,0	1/2"/M16/M12	329

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Ø[mm]	DN	Materialb x s[mm]	Thread	B[mm]
267 - 273	10"	40 x 4,0	1/2"/M16/M12	352
278 - 284		40 x 4,0	1/2"/M16/M12	363
297 - 303		40 x 4,0	1/2"/M16/M12	382
310 - 316		40 x 4,0	1/2"/M16/M12	395

APPROVAL

VdS-Approval No. G4920027,

* = FM Approval



Codice	Nome	Peso	Numero di pezzi
112216	15 - 19 mm 3/8"	0.07	50
112217	20 - 24 mm 1/2"	0.08	50
112218	25 - 30 mm 3/4"	0.1	50
112219	31 - 35 mm * 1"	0.12	50
112220	40 - 45 mm * 1 1/4"	0.13	50
112221	48 - 53 mm * 1 1/2"	0.14	50
112222	54 - 59 mm	0.15	50
112223	60 - 65 mm * 2"	0.16	50
112224	67 - 72 mm	0.18	50

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Codice	Nome	Peso	Numero di pezzi
115767	76 - 81 mm * 2 ½"	0.26	25
115768	82 - 87 mm	0.28	25
115769	88 - 93 mm * 3"	0.29	25
115770	102 - 108 mm	0.31	25
115771	110 - 116 mm * 4"	0.34	25
115772	124 - 129 mm	0.37	25
112231	133 - 140 mm	0.73	10
112232	140 - 148 mm * 5"	0.77	10
112233	149 - 155 mm	0.8	10
112234	159 - 165 mm	0.83	10
112235	167 - 173 mm * 6"	0.87	10
112236	176 - 184 mm	0.92	10
112237	188 - 194 mm	1	10
112238	199 - 205 mm	1.04	10
112239	207 - 216 mm	1.1	10
112240	219 - 225 mm 8"	1.12	10
112242	244 - 250 mm	1.17	10
112244	267 - 273 mm 10"	1.29	10
112245	278 - 284 mm	1.36	10
112246	297 - 303 mm	1.42	10
112247	310 - 316 mm	1.5	10

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com