


# STABIL D-3G EPDM HCP



## APPLICATION

For the installation of pipes required for all M&E services in industrial, residential and public buildings.

## SCOPE OF DELIVERY

Sizes 15 to 129 mm are equipped with welded nuts for the clamping bolts. On the joint side, the clamping bolt is pre-assembled; the clamping bolt on the opposite side is mounted into the bore hole and retained by a plastic washer, thus preventing any accidental unscrewing.

For sizes 133 and larger the clamping bolts and the required nuts are supplied in loose form.

With welded in 3G triple thread nut; without sound absorption lining.

## TECHNICAL DATA

| Size [mm] | Max. working load (Tension) |
|-----------|-----------------------------|
| 10 - 72   | 4,0 kN                      |
| 76 - 129  | 5,0 kN                      |
| 133 - 173 | 8,0 kN                      |
| 176 - 316 | 12,5 kN                     |

(Tension)

## MATERIAL

Steel, HCP.

### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

info@prosystemitalia.com  
prosystemitalia.com

| Ø [mm]        | NB     | Material W x th [mm] | Thread connection | B [mm] |
|---------------|--------|----------------------|-------------------|--------|
| 10 - 14       |        | 25 x 2.0             | M16/M10/M8        | 60     |
| 15 - 19       | 3/8"   | 25 x 2.0             | M16/M10/M8        | 57     |
| 20 - 24       | 1/2"   | 25 x 2.0             | M16/M10/M8        | 63     |
| 25 - 30       | 3/4"   | 25 x 2.0             | M16/M10/M8        | 69     |
| 31 - 35 *     | 1"     | 30 x 2.5             | M16/M10/M8        | 74     |
| 36 - 41       |        | 30 x 2.5             | M16/M10/M8        | 81     |
| 40 - 45 *     | 1 1/4" | 30 x 2.5             | M16/M10/M8        | 85     |
| 48 - 53 *     | 1 1/2" | 30 x 2.5             | M16/M10/M8        | 94     |
| 54 - 59       |        | 30 x 2.5             | M16/M10/M8        | 101    |
| 60 - 65 *     | 2"     | 30 x 2.5             | M16/M10/M8        | 108    |
| 67 - 72       |        | 30 x 2.5             | M16/M10/M8        | 114    |
| 76 - 81 M *   | 2 1/2" | 30 x 3.0             | M16/M10/M8        | 137    |
| 82 - 87 M     |        | 30 x 3.0             | M16/M10/M8        | 143    |
| 88 - 93 M *   | 3"     | 30 x 3.0             | M16/M10/M8        | 149    |
| 102 - 108 M   |        | 30 x 3.0             | M16/M10/M8        | 163    |
| 110 - 116 M * | 4"     | 30 x 3.0             | M16/M10/M8        | 171    |
| 124 - 129 M   |        | 30 x 3.0             | M16/M10/M8        | 184    |
| 133 - 140     |        | 40 x 4.0             | 1/2"/M16/M12      | 210    |
| 140 - 148 *   | 5"     | 40 x 4.0             | 1/2"/M16/M12      | 218    |
| 149 - 155     |        | 40 x 4.0             | 1/2"/M16/M12      | 225    |
| 159 - 165     |        | 40 x 4.0             | 1/2"/M16/M12      | 235    |
| 167 - 173 *   | 6"     | 40 x 4.0             | 1/2"/M16/M12      | 243    |
| 176 - 184     |        | 40 x 4.0             | 1/2"/M16/M12      | 255    |
| 188 - 194     |        | 40 x 4.0             | 1/2"/M16/M12      | 265    |
| 199 - 205     |        | 40 x 4.0             | 1/2"/M16/M12      | 276    |
| 207 - 216     |        | 40 x 4.0             | 1/2"/M16/M12      | 287    |
| 219 - 225     | 8"     | 40 x 4.0             | 1/2"/M16/M12      | 296    |
| 244 - 250     |        | 40 x 4.0             | 1/2"/M16/M12      | 321    |
| 267 - 273     | 10"    | 40 x 4.0             | 1/2"/M16/M12      | 344    |
| 278 - 284     |        | 40 x 4.0             | 1/2"/M16/M12      | 355    |
| 297 - 303     |        | 40 x 4.0             | 1/2"/M16/M12      | 374    |
| 310 - 316     |        | 40 x 4.0             | 1/2"/M16/M12      | 387    |

[mm]

W x th

## PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

[mm]

connection

[mm]

## APPROVALS:

VdS-Approval No. G4920027, \* = FM Approval



| Codice | Nome                            | Peso | Numero di pezzi |
|--------|---------------------------------|------|-----------------|
| 112249 | 14 - 18 mm 3/8"                 | 0.08 | 50              |
| 112250 | 19 - 23 mm 1/2"                 | 0.09 | 50              |
| 112251 | 24 - 28 mm 3/4"                 | 0.12 | 50              |
| 112252 | 29 - 33 mm 1"                   | 0.14 | 50              |
| 112253 | 33 - 37 mm                      | 0.15 | 50              |
| 112254 | 40 - 45 mm 1 1/4"               | 0.16 | 50              |
| 112255 | 47 - 52 mm 1 1/2"               | 0.18 | 50              |
| 112256 | 53 - 58 mm                      | 0.19 | 50              |
| 112257 | 60 - 65 mm 2"                   | 0.21 | 50              |
| 115782 | 73 - 78 mm                      | 0.33 | 25              |
| 115784 | 108 - 115 mm 4"                 | 0.43 | 25              |
| 115785 | STABIL D-3G EPDM 100-106<br>HCP | 0.41 | 25              |
| 115786 | 108 - 115 mm 4"                 | 0.43 | 25              |
| 112266 | 124 - 129 mm                    | 0.86 | 10              |
| 112267 | 131 - 137 mm                    | 0.9  | 10              |
| 112268 | 138 - 144 mm 5"                 | 0.94 | 10              |
| 112269 | 148 - 154 mm                    | 0.98 | 10              |
| 112270 | 156 - 162 mm                    | 1.02 | 10              |
| 112271 | 165 - 171 mm 6"                 | 1.08 | 10              |
| 112272 | 177 - 183 mm                    | 1.18 | 10              |
| 112273 | 188 - 194 mm                    | 1.22 | 10              |

### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

info@prosystemitalia.com  
prosystemitalia.com

| Codice | Nome             | Peso | Numero di pezzi |
|--------|------------------|------|-----------------|
| 112274 | 196 - 203 mm     | 1.29 | 10              |
| 112275 | 205 - 214 mm     | 1.32 | 10              |
| 112276 | 219 - 225 mm 8"  | 1.38 | 10              |
| 112278 | 244 - 250 mm     | 1.52 | 10              |
| 112280 | 267 - 273 mm 10" | 1.6  | 10              |
| 112281 | 278 - 284 mm     | 1.67 | 10              |
| 112282 | 299 - 305 mm     | 1.76 | 10              |
| 112283 | 307 - 318 mm     | 1.83 | 10              |

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)