STABIL RB-A HCP



APPLICATION

For particularly high static requirements in plant construction. Design similar to DIN 3567. The perforations on both sides allow the application of standardised bolts and threaded nuts out.

SCOPE OF DELIVERY

Two-piece pipe clamp delivered without bolts.
For suitable bolts see product "Hexagon Bolt SKT HCP" (this chapter).

TECHNICAL DATA

Adm. load valid with fixation on both sides.

Size[mm]	Max. adm. load (tension)[kN]
13 - 49	11.0
57 - 89	15.5
90 - 169	22.0
188 - 610	42.0

The max. perm. load capacity of connected parts (e.g. anchors) shall be considered.

The max. adm. load capacity is determined by the application of statistical methods, resulting from the breaking loads, under oberservance of a max. adm. deformation of 1.5 mm or 2% of the max. stretchable pipe dia.

Material: Steel, HCP

PROSYSTEM ITALIA SRL
Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Size d1 [mm]	Range [mm]	Material W x th [mm]	bolts	a [mm]	b [mm]
18	14 - 18	30 x 5.0	M10 x 40	52	80
22	18 - 22	30 x 5.0	M10 x 40	58	86
27	23 - 27	30 x 5.0	M10 x 40	65	93
34	30 - 34	30 x 5.0	M10 x 40	74	102
39	35 - 39	30 x 5.0	M10 x 40	80	108
44	40 - 44	30 x 5.0	M10 x 40	86	114
49	45 - 49	30 x 5.0	M10 x 40	91	119
61	57 - 61	40 x 5.0	M12 x 40	103	136
71	67 - 71	40 x 5.0	M12 x 40	114	147
77	72 - 77	40 x 5.0	M12 x 40	119	152
89	84 - 89	40 x 5.0	M12 x 40	132	165
102	96 - 102	50 x 5.0	M12 x 60	145	178
109	102 - 109	50 x 5.0	M12 x 60	152	185
115	109 - 115	50 x 5.0	M12 x 60	159	192
134	128 - 134	50 x 5.0	M12 x 60	178	211
140	134 - 140	50 x 5.0	M12 x 60	184	217
163	157 - 163	50 x 5.0	M12 x 60	208	241
169	163 - 169	50 x 8.0	M12 x 60	222	255
194	188 - 194	50 x 8.0	M12 x 60	248	281
221	215 - 221	50 x 8.0	M12 x 60	275	308
254	246 - 254	50 x 8.0	M12 x 60	308	341
266	259 - 266	50 x 8.0	M12 x 60	321	354
273	266 - 273	50 x 8.0	M12 x 60	328	361
324	317 - 324	60 x 8.0	M16 x 80	385	425
356	349 - 356	60 x 8.0	M16 x 80	417	457
374	366 - 374	60 x 8.0	M16 x 80	435	475
407	397 - 407	70 x 8.0	M16 x 80	468	508
429	419 - 429	70 x 8.0	M16 x 80	490	530
457	447 - 457	70 x 8.0	M16 x 80	518	558
508	498 - 508	70 x 8.0	M16 x 80	569	609
530	520 - 530	70 x 8.0	M16 x 80	591	631
541	531 - 541	70 x 8.0	M16 x 80	603	643
610	600 - 610	70 x 8.0	M16 x 80	672	712

Codice	Nome	Peso	Numero di pezzi
112790	13 - 18 mm	0.17	25
112791	17 - 22 mm	0.18	25
112792	23 - 27 mm	0.21	25
112793	30 - 34 mm	0.22	25
112794	34 - 38 mm	0.24	25
112795	40 - 44 mm	0.26	25
112796	45 - 49 mm	0.28	25
112797	57 - 61 mm	0.42	25
112798	66 - 70 mm	0.46	25
112799	73 - 77 mm	0.52	25
112800	85 - 89 mm	0.61	25
112801	90 - 104 mm	0.76	10
112802	103 - 109 mm	0.83	10
112803	109 - 115 mm	0.87	10
112804	119 - 133 mm	0.93	10
112805	134 - 140 mm	1.01	10
112806	156 - 162 mm	1.19	10
112807	163 - 169 mm	1.2	10
112808	188 - 194 mm	2.16	1
112809	214 - 220 mm	2.52	1
112810	248 - 254 mm	2.8	1
112811	261 - 267 mm	2.92	1
112812	265 - 273 mm	3.55	1
112813	316 - 324 mm	4.11	1
112814	350 - 356 mm	4.53	1
112815	360 - 368 mm	4.84	1
112816	402 - 407 mm	6.15	1
112817	412 - 419 mm	6.3	1
112818	450 - 457 mm	6.85	1
112819	501 - 508 mm	7.66	1
112820	512 - 521 mm	7.85	1
112821	529 - 535 mm	7.91	1

Codice	Nome	Peso	Numero di pezzi
112822	603 - 610 mm	8.94	1

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com