


# STABIL RB-A



## APPLICATION

For particularly high static requirements in plant construction. Design similar to DIN 3567.

In addition to be applied for the design of Fixed Points or Sliding Supports by welding to T-Sections.

## SCOPE OF DELIVERY

It'ss supplied without bolts.

## TECHNICAL DATA

Material:Steel, surface black.

Size d1[mm]	Size range[mm]	max. adm. load (tension)[kN]	Tightening torque [Nm]	MaterialW x th[mm]	Recommended clamping bolts	a [mm]	b[mm]
18	13 - 18	11,0	20	30 x 5.0	M10 x 40	54	83
22	17 - 22	11,0	20	30 x 5.0	M10 x 40	56	85

### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Size d1[mm]	Size range[mm]	max. adm. load (tension)[kN]	Tightening torque [Nm]	MaterialW x th[mm]	Recommended clamping bolts	a [mm]	b[mm]
27	23 - 27	11,0	20	30 x 5.0	M10 x 40	63	92
34	30 - 34	11,0	20	30 x 5.0	M10 x 40	71	100
38	34 - 38	11,0	20	30 x 5.0	M10 x 40	76	105
44	40 - 44	11,0	20	30 x 5.0	M10 x 40	83	112
49	45 - 49	11,0	20	30 x 5.0	M10 x 40	88	117
61	57 - 61	15,5	40	40 x 5.0	M12 x 40	106	139
70	66 - 70	15,5	40	40 x 5.0	M12 x 40	116	149
77	73 - 77	15,5	40	40 x 5.0	M12 x 40	123	156
89	85 - 89	15,5	40	40 x 5.0	M12 x 40	135	168
104	90 - 104	22,0	40	50 x 5.0	M12 x 60	146	179
109	103 - 109	22,0	40	50 x 5.0	M12 x 60	155	188
115	109 - 115	22,0	40	50 x 5.0	M12 x 60	161	194
133	119 - 133	22,0	40	50 x 5.0	M12 x 60	176	209
140	134 - 140	22,0	40	50 x 5.0	M12 x 60	187	220
162	156 - 162	22,0	40	50 x 5.0	M12 x 60	209	242
169	163 - 169	22,0	40	50 x 5.0	M12 x 60	216	249
194	188 - 194	42,0	100	50 x 8.0	M12 x 60	252	285
220	214 - 220	42,0	100	50 x 8.0	M12 x 60	279	312
254	248 - 254	42,0	100	50 x 8.0	M16 x 60	320	363
267	261 - 267	42,0	100	50 x 8.0	M16 x 60	333	376
273	265 - 273	42,0	100	60 x 8.0	M16 x 60	339	382
324	316 - 324	42,0	100	60 x 8.0	M16 x 60	390	433
356	350 - 356	42,0	100	60 x 8.0	M16 x 60	422	465
368	360 - 368	42,0	100	60 x 8.0	M16 x 60	434	477
407	402 - 407	42,0	100	70 x 8.0	M16 x 60	473	516

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Size d1[mm]	Size range[mm]	max. adm. load (tension)[kN]	Tightening torque [Nm]	MaterialW x th[mm]	Recommended clamping bolts	a [mm]	b[mm]
419	412 - 419	42,0	100	70 x 8.0	M16 x 60	485	528
457	450 - 457	42,0	100	70 x 8.0	M16 x 60	523	566
508	501 - 508	42,0	100	70 x 8.0	M16 x 60	575	618
521	512 - 521	42,0	100	70 x 8.0	M16 x 60	588	631
535	529 - 535	42,0	100	70 x 8.0	M16 x 60	602	645
610	603 - 610	42,0	100	70 x 8.0	M16 x 60	677	720

Codice	Nome	Peso	Numero di pezzi
110309	13 - 18 mm	0.17	25
110310	17 - 22 mm	0.18	25
110312	23 - 27 mm	0.19	25
110403	30 - 34 mm	0.22	25
110314	34 - 38 mm	0.24	25
110404	40 - 44 mm	0.26	25
110316	45 - 49 mm	0.28	25
110319	57 - 61 mm	0.42	25
110320	66 - 70 mm	0.46	25
110321	73 - 77 mm	0.52	25
110322	85 - 89 mm	0.61	25
110323	90 - 104 mm	0.76	10
110324	103 - 109 mm	0.83	10
110325	109 - 115 mm	0.87	10

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Codice	Nome	Peso	Numero di pezzi
110327	119 - 133 mm	0.93	10
110328	134 - 140 mm	1.01	10
111733	156 - 162 mm	1.19	10
110330	163 - 169 mm	1.2	10
110332	188 - 194 mm	2.16	-
110335	214 - 220 mm	2.52	1
110336	248 - 254 mm	2.8	-
110337	261 - 267 mm	2.92	-
110338	265 - 273 mm	3.55	1
110341	316 - 324 mm	4.11	-
110342	350 - 356 mm	4.53	-
110343	360 - 368 mm	4.84	-
110344	402 - 407 mm	6.15	-
110345	412 - 419 mm	6.3	-
110346	450 - 457 mm	6.85	-
110347	501 - 508 mm	7.66	-
110348	512 - 521 mm	7.85	-
110442	529 - 535 mm	7.91	-
110443	603 - 610 mm	8.94	-

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)